

ScreenLine®

# U\_SIZE

The integrated blind,  
for your home.




BRINGING  
GLAZING  
TO  
LIFE

**srjwindows**  
conservatories. sunrooms. windows. doors



Beauty beyond reach. The integrated  
blind, for your home.



- **Clean for life**
- **No risk of damage**
- **Maintenance free**
- **Durable components**
- **Long life**
- **Excellent light and solar control characteristics**
- **Guarantees privacy**
- **Linear design allows greater use of internal area**

The beauty of a stylish blind for interiors, enshrined between two glass panes in your window, with a unique performance and a never-ending lifespan.







The integrated blind,  
for your home.

You can choose between  
**Venetian** or **Pleated**  
**models**, with **28 colours**  
and **3 control systems**  
available in order to create the  
ideal solution that will make  
your rooms more pleasing and  
comfortable.

ScreenLine®  
**U\_SIZE**  
INNOVATION  
COMES  
BUILT-IN







For windows, doors or French windows.

Up-and-over, sliding or casement windows, made of **wood**, **aluminium**, **PVC** or **wood-aluminium**.

In our range you will find the right solution for the **comfort** and **beauty** of your home.

ScreenLine®  
**U\_SIZE**  
INNOVATION  
COMES  
BUILT-IN







ScreenLine®

U\_SIZE

INNOVATION  
COMES  
BUILT-IN






ScreenLine®  
U\_SIZE

INNOVATION  
COMES  
BUILT-IN








ScreenLine®  
U\_SIZE

INNOVATION  
COMES  
BUILT-IN







ScreenLine®


U\_SIZE

INNOVATION  
COMES  
BUILT-IN



## “C” Venetian system Feasibility chart

SL20C-22C Venetian  
warm edge spacer bar standard




**W min 300 mm – W max 2000 mm**  
**H min 300 mm – H max 2350 mm**  
 with W = from 300 to 350 mm, H max = 850 mm  
 with W = 351 to 400 mm, H max = 1550 mm  
 with W = 401 to 450 mm, H max = 1950 mm  
 with W = 451 to 2000 mm, H max = 2350 mm

**N.B.:** Feasibility charts with triple glazing may vary from the ones indicated above:  
 please refer to your sales contact for more details.



## “W Swipe” Venetian system Feasibility chart

SL20W-22W Venetian  
warm edge spacer bar standard




**W min 300 mm – W max 2000 mm**  
**H min 300 mm – H max 2600 mm**  
 with W = from 300 to 350 mm, H max = 1670 mm  
 with W = from 351 to 400 mm, H max = 2020 mm  
 with W = from 401 to 2000 mm, H max = 2600 mm



## “S” Venetian system Feasibility chart

SL20S Venetian  
warm edge spacer bar standard



**W min 300 mm – W max 1500 mm**  
**H min 600<sup>▲</sup> mm – H max 2200 mm**  
 with W = from 300 to 350 mm, H max = 1400\* mm  
 with W = from 351 to 550 mm, H max = 1800\* mm  
 with W = from 551 to 1500 mm, H max = 2200\*\* mm

<sup>▲</sup> 300 mm with tilt-only blind (SL20SA)

\* Up to H = 2200 mm, blind supplied with  
 tilt-only function and locked bottom rail  
 \*\* For areas from 2.01 m<sup>2</sup> to 3.3 m<sup>2</sup>, blind  
 supplied with tilt-only function  
 and completely raised

# Venetian

Frontal knob



External motor



Transmission device



Solar panel













Radio remote control



Battery charger



## Available colours

	S102		S149
	S106		S155
	S125		S156
	S130		S157
	S142		S159





## “C” Pleated system Feasibility chart




**W min 300 mm – W max 1500 mm**  
**H min 300 mm – H max 2350 mm**  
 with W = from 300 to 350 mm, H max = 850 mm  
 with W = from 351 to 400 mm, H max = 1550 mm  
 with W = from 401 to 450 mm, H max = 1950 mm  
 with W = from 451 to 1500 mm, H max = 2350 mm

**SL20C-22C Pleated**  
 warm edge spacer bar standard

**N.B.:** Feasibility charts with triple glazing may vary from the ones indicated above:  
 please refer to your sales contact for more details.



## “W” Pleated system Feasibility chart




**W min 300 mm – W max 1500 mm**  
**H min 300 mm – H max 2500 mm**  
 with W = from 300 to 350 mm, H max = 1670 mm  
 with W = from 351 to 400 mm, H max = 2020 mm  
 with W = from 401 to 1500 mm, H max = 2500 mm

**SL20W-22W Pleated**  
 warm edge spacer bar standard



## “S” Pleated system Feasibility chart



**W min 200 mm – W max 1200 mm**  
**H min 200 mm – H max 2000 mm**

**SL20S-22S Pleated**  
 warm edge spacer bar standard

# Pleated

External motor



Transmission device



Solar panel




Radio remote control



Battery charger



Available Vanity colours



# pellini®industrie

www.pellini.net



Pellini SpA was founded in 1974 in Codogno, Northern Italy, as a craftsman, family-owned company producing venetian blinds, folding doors, mosquito nets and awnings.

In 1984, Pellini started to co-operate with a leading multinational company manufacturing venetian blinds for interiors; this allowed Pellini to move away from a (since then) local market and to emerge in the national scene. In 1990, the company set up a project for integrating a blind within insulating glass, achieving the raising and lowering of a blind encapsulated within a double glazing unit whilst maintaining the latter's integrity. All their efforts were rewarded in 1992, with the introduction of the first system in the ScreenLine® range - a system based on rotational transmission of motion obtained by the coupling of internal and external magnets. In 1994, the historical production lines for awnings and mosquito nets were decommissioned in order to maximise capacity

for the engineering and manufacture of new, increasingly more advanced ScreenLine® systems and increasingly more performing technical blinds for interiors.

Today, the company preserves the old handicraft attitude in its "made-to-measure" artifacts, which are perfected by hands careful to details rather than being mass produced; at the same time, it operates on a worldwide scale and is an acknowledged leader in the field of sun shading systems.

The company is certified by



ISO 9001: 2008 Certification No. 2351/2

Our products are certified



SL20C - SL27C

# srjwindows

conservatories. sunrooms. windows. doors

Macintosh House, Innova Campus, Viking Way, Rosyth, Fife, KY11 2UU